

Data Sheet | Model: **Armorgard StrongBank SB1**



- ⚠ Ultra secure range of tool vaults – by far the most secure on the market
- ⚠ Keyed alike 5-lever deadlocks
- ⚠ Unique external and internal anti-jimmy system
- ⚠ Robust construction using 3mm and 5mm steel
- ⚠ Hydraulic gas arms to assist with the lid opening
- ⚠ Crimped security bar and fully welded corner brace to reinforce the security around the lid
- ⚠ Autolatch lid stay to secure the lid in the open position

Product	Armorgard StrongBank SB1
Internal dimensions	895x460x470
External dimensions (including protrusions)	1030x565x480
Weight (kg)	59
Colour	Black
Finished Coating	Powder Coat with anti-corrosive undercoat
Material	Steel
Material Thickness	3mm and 5mm
Locking mechanism	Highly Secure, keyed alike 5-Lever Deadlock
Does it have Forklift Skids?	No
Does it have Gas Arms?	Yes
Newton Loading of Gas Arms	300N
Safety stay	Yes
Quantity of keys supplied	3 Robust keys
Optional Extras Available	N/A
Quantity of Shelves as standard	0
Are Castors standard or optional extra	Optional Extra
How are the Castors fitted?	Requires welding on or holes to be drilled to bolt them on
Sump capacity	N/A
Safety Signage	N/A
Fire resistant?	Yes



Data Sheet | Model: **Armorgard StrongBank SB2**



- ⚠ Ultra secure range of tool vaults – by far the most secure on the market
- ⚠ Keyed alike 5-lever deadlocks
- ⚠ Unique external and internal anti-jimmy system
- ⚠ Robust construction using 3mm and 5mm steel
- ⚠ Hydraulic gas arms to assist with the lid opening
- ⚠ Crimped security bar and fully welded corner brace to reinforce the security around the lid
- ⚠ Fork lift skids with fixing holes to add castors and make it a mobile unit
- ⚠ Facilities to fix the unit in position
- ⚠ Autolatch lid stay to secure the lid in the open position

Product	Armorgard StrongBank SB2
Internal dimensions	1185x605x575
External dimensions (including protrusions)	1310x690x665
Weight (kg)	98
Colour	Black
Finished Coating	Powder Coat with anti-corrosive undercoat
Material	Steel
Material Thickness	3mm and 5mm
Locking mechanism	Highly Secure, keyed alike 5-Lever Deadlock
Does it have Forklift Skids?	Yes
Does it have Gas Arms?	Yes
Newton Loading of Gas Arms	300N
Safety stay	Yes
Quantity of keys supplied	3 Robust keys
Optional Extras Available	Castors
Quantity of Shelves as standard	0
Are Castors standard or optional extra	Optional Extra
How are the Castors fitted?	Quick-fix bolt on Castor kit
Sump capacity	N/A
Safety Signage	N/A
Fire resistant?	Yes



Data Sheet | Model: **Armorgard StrongBank SB3**



- ⚠ Ultra secure range of tool vaults – by far the most secure on the market
- ⚠ Keyed alike 5-lever deadlocks
- ⚠ Unique external and internal anti-jimmy system
- ⚠ Robust construction using 3mm and 5mm steel
- ⚠ Hydraulic gas arms to assist with the lid opening
- ⚠ Crimped security bar and fully welded corner brace to reinforce the security around the lid
- ⚠ Fork lift skids with fixing holes to add castors and make it a mobile unit
- ⚠ Facilities to fix the unit in position
- ⚠ Autolatch lid stay to secure the lid in the open position

Product	Armorgard StrongBank SB3
Internal dimensions	1185x600x880
External dimensions (including protrusions)	1300x690x970
Weight (kg)	120
Colour	Black
Finished Coating	Powder Coat with anti-corrosive undercoat
Material	Steel
Material Thickness	3mm and 5mm
Locking mechanism	Highly Secure, keyed alike 5-Lever Deadlock
Does it have Forklift Skids?	Yes
Does it have Gas Arms?	Yes
Newton Loading of Gas Arms	300N
Safety stay	Yes
Quantity of keys supplied	3 Robust keys
Optional Extras Available	Castors
Quantity of Shelves as standard	0
Are Castors standard or optional extra	Optional Extra
How are the Castors fitted?	Quick-fix bolt on Castor kit
Sump capacity	N/A
Safety Signage	N/A
Fire resistant?	Yes



Data Sheet | Model: **Armorgard StrongBank SB6**



- ⚠ Ultra secure range of tool vaults – by far the most secure on the market
- ⚠ Keyed alike 5-lever deadlocks
- ⚠ Unique external and internal anti-jimmy system
- ⚠ Robust construction using 3mm and 5mm steel
- ⚠ Hydraulic gas arms to assist with the lid opening
- ⚠ Crimped security bar and fully welded corner brace to reinforce the security around the lid
- ⚠ Fork lift skids with fixing holes to add castors and make it a mobile unit
- ⚠ Facilities to fix the unit in position
- ⚠ Autolatch lid stay to secure the lid in the open position

Product	Armorgard StrongBank SB6
Internal dimensions	1885x605x580
External dimensions (including protrusions)	2000x690x665
Weight (kg)	138
Colour	Black
Finished Coating	Powder Coat with anti-corrosive undercoat
Material	Steel
Material Thickness	3mm and 5mm
Locking mechanism	Highly Secure, keyed alike 5-Lever Deadlock
Does it have Forklift Skids?	Yes
Does it have Gas Arms?	Yes
Newton Loading of Gas Arms	450N
Safety stay	Yes
Quantity of keys supplied	3 Robust keys
Optional Extras Available	Castors
Quantity of Shelves as standard	0
Are Castors standard or optional extra	Optional Extra
How are the Castors fitted?	Quick-fix bolt on Castor kit
Sump capacity	N/A
Safety Signage	N/A
Fire resistant?	Yes

